

## Kaslo North IPMA Invasive Plant (Terrestrial and Riparian) Priority List – 2016.

**This table is updated annually – contact CKISS for most current version. (\* not known in CKISS region; BC=biocontrol)**

**Provincial Prohibited EDRR WATCHLIST** – Prohibited species for BC. Provincial government takes lead role in treatments. Report these species through Report-A-Weed app.

- Black henbane*	- Mouse-ear hawkweed	- Syrian beancaper*
- Common crupina*	- Perennial pepperweed*	- Velvet leaf*
- Common reed*	- Squarrose knapweed*	- Yellow starthistle*
- Dyer's woad*		

**Regional EDRR WATCHLIST** - Not currently known in this IPMA (and may also not be known in the CKISS region\*). Follow EDRR reporting and action protocols. **Bolded species are EDRR for the province.**

- Baby's breath	- Greater celandine	- Puncturevine*
- Bighead knapweed	- Greater knapweed	- Rush skeletonweed
- Buffalobur*	- Hoary cress	- Russian knapweed*
- Caraway*	- Leafy spurge	- Scentless chamomile
- Common bugloss*	- Longspine sandbur*	- Scotch thistle
- Field scabious	- Marsh plume thistle	- Teasel
- Flowering rush*	- Meadow/brown/black knapweed	- Wild Four O'Clock*
- Garlic mustard*	- Nodding thistle*	- Wood sage*
- Gorse*	- Plumeless thistle	- Yellow flag-iris

**ERADICATION or ANNUAL CONTROL** – Species known in IPMA but with very limited distribution. Enter inventory data, report and treat or monitor annually. Some of these species have biocontrol (BC) available.

- <b>ALL containment species OUTSIDE their containment lines (see next section)</b>	- Blueweed	- Policeman's helmet
	- Giant hogweed	- Purple loosestrife
	- Hoary alyssum	- Tansy ragwort

**CONTAINMENT** – Enter inventory data, report and treat all sites outside containment lines. Some of these species have biocontrol (BC) available which can be used within the containment line.

- Coltsfoot (contain to Kaslo)	- Scotch broom (prevent from spreading north of Shutty Bench)	<b>Contain to gardens:</b> - Goutweed - Japanese butterbur - Lamium/Yellow archangel - Russian olive - Periwinkle - Salt cedar - Siberian elm
- Himalayan blackberry (prevent from spreading north of Kaslo)	<b>Contain to gardens:</b> - Butterfly bush	
- Knotweeds (contain to sites that <b>do not</b> border natural lands, transportation corridors, or riparian areas)	- Cypress spurge	
	- English Ivy	
	- Field bindweed	

**ESTABLISHED (BIOCONTROL OR SITE-SPECIFIC APPROACH)** – Widespread species that are beyond landscape-level control or have relatively low impact. May have biocontrol (BC) available. Treat based on land management objectives.

- Bull thistle (BC)	- Dame's rocket	- Spotted knapweed (BC)
- Burdock	- Diffuse knapweed (BC)	- St. John's Wort (BC)
- Canada thistle (BC)	- Hairy cat's ear	- Sulphur cinquefoil
- Chicory	- Hound's tongue (BC)	- Yellow hawkweeds
- Common tansy	- Mullein	- Yellow/common toadflax
- Curled dock	- Orange hawkweed	
- Dalmatian toadflax (BC)	- Oxeye daisy	

**INSUFFICIENT INFORMATION** – There is a lack of information on the distribution, impacts and potential for spread and/or control of the following species. Some of these species may appear in other categories (since their distribution is relatively well understood) but they also appear in this category because further information is still required.

- Black locust	- Hairy cat's ear	- White cockle
- Bur chervil	- Himalayan blackberry	- Wild carrot/Q. Anne's Lace
- Caraway	- Meadow salsify	- Wild chervil
- Coltsfoot	- Norway maple	- Wormwood (Absinth)
- Comfrey	- Wall lettuce	- Yellow bedstraw