

Creston IPMA Invasive Plant (Terrestrial and Riparian) Priority List– 2016.

This table is updated annually – contact CKISS for most current version. (* not known in CKISS region; BC=biocontrol)

Provincial Prohibited EDRR WATCHLIST – Prohibited species for BC. Provincial government takes lead role in treatments. Report these species through Report-A-Weed app.

- Black henbane*	- Mouse-ear hawkweed	- Syrian beancaper*
- Common crupina*	- Perennial pepperweed*	- Velvet leaf*
- Common reed*	- Squarrose knapweed*	- Yellow starthistle*
- Dyer's woad*		

Regional EDRR WATCHLIST - Not currently known in this IPMA (and may also not be known in the CKISS region*). Follow EDRR reporting and action protocols. **Bolded species are EDRR for the province.**

- Bighead knapweed	- Giant hogweed	- Nodding thistle*
- Black knapweed	- Gorse*	- Puncturevine*
- Buffalobur*	- Greater celandine	- Russian knapweed*
- Caraway	- Greater knapweed	- Tansy ragwort
- Coltsfoot	- Hoary cress	- Wild chervil
- Field scabious	- Longspine sandbur*	- Wild Four O'Clock*
- Flowering rush*	- Marsh plume thistle	- Wood sage*
- Garlic mustard*		

ERADICATION or ANNUAL CONTROL – Species known in IPMA but with very limited distribution. Enter inventory data, report and treat or monitor annually.

- ALL containment species OUTSIDE containment lines	- Leafy spurge	- Purple loosestrife
- Baby's breath	- Meadow/brown/black knapweed	- Rush skeletonweed
- Black locust	- Plumeless thistle	- Scotch thistle
- Common bugloss	- Policeman's helmet	- Teasel

CONTAINMENT – Enter inventory data, report and treat all sites outside containment lines. Some of these species have biocontrol available which can be used within the containment line (BC).

- Blueweed (contain to Wynndel)	- Knotweeds (contain to sites that do not border natural lands, transportation corridors, or riparian areas)	Contain to gardens: - Butterfly bush - Cypress spurge - English Ivy - Field bindweed - Goutweed - Japanese butterbur - Lamium/Yellow archangel - Russian olive - Periwinkle - Salt cedar - Siberian elm
- Common tansy (keep out of E. Kootenay – Crackerjack FSR east)	- Scotch broom (contain to Kuskanook north)	
- Himalayan blackberry (prevent from spreading east of Kitchener)	- Spotted knapweed (contain to west of Yahk gas line)	
- Hoary alyssum (contain to W. of Erickson)	- Yellow flag-iris (contain to CVWMA and gardens)	

ESTABLISHED (BIOCONTROL OR SITE-SPECIFIC APPROACH) – Widespread species that are beyond landscape-level control or have relatively low impact. Treat based on specific land management objectives.

- Bull thistle (BC)	- Dame's rocket	- Oxeye daisy
- Burdock	- Diffuse knapweed	- Scentless chamomile
- Canada thistle (BC)	- Hairy cat's ear	- St. John's Wort (BC)
- Chicory	- Hound's tongue (BC)	- Sulphur cinquefoil
- Curled dock	- Mullein	- Yellow hawkweeds
- Dalmatian toadflax (BC)	- Orange hawkweed	- Yellow/common toadflax

INSUFFICIENT INFORMATION – There is a lack of information on the distribution, impacts and potential for spread and/or control of the following species. Some of these species may appear in other categories (since their distribution is relatively well understood) but they also appear in this category because further information is still required.

- Black locust	- Hairy cat's ear	- Wild carrot/Queen Anne's Lace
- Creeping buttercup	- Sea buckthorn	- Wormwood (Absinth)
- Fiddleneck	- Western goat's beard	- Yellow bedstraw
- Field bindweed	- White cockle	