

NAKUSP IPMA INVASIVE PLANT (TERRESTRIAL AND RIPARIAN) PRIORITY LIST – 2017

(* not known in CKISS region; BC=biocontrol; **species verification 2017)

Regional EDRR - Not currently known in this IPMA (and may also not be known in the CKISS region*). Follow EDRR reporting and action protocols. Bolded species are EDRR for the province.		
<ul style="list-style-type: none"> - Bighead knapweed - Buffalobur* - Caraway* - Coltsfoot - Common bugloss* - Field scabious - Flowering rush* - Garlic mustard* - Giant hogweed 	<ul style="list-style-type: none"> - Gorse* - Greater celandine - Greater knapweed - Hoary cress - Leafy spurge - Longspine sandbur* - Nodding thistle* - Plumeless thistle* - Puncturevine* 	<ul style="list-style-type: none"> - Rush skeletonweed - Russian knapweed* - Scotch thistle - Tansy ragwort* - Teasel - Wild chervil - Wild four o'clock* - Wood sage*
ERADICATION or ANNUAL CONTROL – Species known in IPMA but with very limited distribution. Enter inventory data, report and treat or monitor annually.		
<ul style="list-style-type: none"> - Containment species outside lines 	<ul style="list-style-type: none"> - Baby's breath - Blueweed 	<ul style="list-style-type: none"> - Marsh plume thistle - Policeman's helmet - Yellow flag iris
CONTAINMENT – Enter inventory data, report and treat all sites outside containment lines. Some of these species have biocontrol (BC) available which can be used within the containment line.		
<ul style="list-style-type: none"> - Himalayan blackberry (contain to Nakusp) - Hoary alyssum (contain to Nakusp) - Meadow/brown/black knapweed (contain to Nakusp IPMA) 	<ul style="list-style-type: none"> - Knotweeds (contain to sites that do not border natural lands, transportation corridors, or riparian areas) - Purple loosestrife (contain to Fauquier) - Scotch broom (contain to Nakusp) 	<p>Contain to gardens:</p> <ul style="list-style-type: none"> - Butterfly bush - Cypress spurge - English ivy - Field bindweed - Goutweed - Japanese butterbur - Lamium/Yellow archangel - Russian olive - Periwinkle - Salt cedar - Siberian elm
ESTABLISHED (BIOCONTROL OR SITE-SPECIFIC APPROACH) – Widespread species that are beyond landscape-level control or have relatively low impact. May have biocontrol (BC) available. Treat based on specific land management objectives.		
<ul style="list-style-type: none"> - Bull thistle (BC) - Burdock - Canada thistle (BC) - Chicory - Curled dock - Dalmatian toadflax (BC) - Dame's rocket 	<ul style="list-style-type: none"> - Diffuse knapweed (BC) - Hairy cat's ear - Hound's tongue (BC) - Mullein - Orange hawkweed - Oxeye daisy - Scentless chamomile** 	<ul style="list-style-type: none"> - Spotted knapweed (BC) - St. John's wort (BC) - Sulphur cinquefoil - Queen Anne's Lace - Yellow hawkweeds - Yellow/common toadflax
WATCHLIST – There is a lack of information on the distribution and density of this species within this IPMA.		
<ul style="list-style-type: none"> - Black locust 		

