

Nelson IPMA Invasive Plant (Terrestrial and Riparian) Priority List – 2016.

This table is updated annually – contact CKISS for most current version. (* not known in CKISS region; BC=biocontrol)

Provincial Prohibited EDRR WATCHLIST – Prohibited species for BC. Provincial government takes lead role in treatments. Report these species through Report-A-Weed app.		
<ul style="list-style-type: none"> - Black henbane* - Common crupina* - Common reed* 	<ul style="list-style-type: none"> - Dyer’s woad* - Perennial pepperweed* - Squarrose knapweed* 	<ul style="list-style-type: none"> - Syrian beancaper* - Velvet leaf* - Yellow starthistle*
Regional EDRR WATCHLIST - Not currently known in this IPMA (and may also not be known in the CKISS region*). Follow EDRR reporting and action protocols. Bolded species are EDRR for the province.		
<ul style="list-style-type: none"> - Bighead knapweed - Black knapweed* - Buffalobur* - Caraway* - Coltsfoot - Common bugloss* - Flowering rush* - Garlic mustard* - Giant hogweed 	<ul style="list-style-type: none"> - Gorse* - Greater celandine - Greater knapweed - Hoary cress - Leafy spurge - Longspine sandbur* - Marsh plume thistle* - Meadow/brown knapweed - Nodding thistle* 	<ul style="list-style-type: none"> - Plumeless thistle - Puncturevine* - Russian knapweed* - Tansy ragwort - Wild Chervil - Wild Four O’Clock* - Wood sage*
ERADICATION or ANNUAL CONTROL – Species known in IPMA but with very limited distribution. Enter inventory data, report and treat or monitor annually. Some of these species have biocontrol (BC) available.		
<ul style="list-style-type: none"> - ALL containment species OUTSIDE containment lines) - Baby’s breath - Blueweed 	<ul style="list-style-type: none"> - Black knapweed - English ivy - Mouse-ear hawkweed (BC Gov) 	<ul style="list-style-type: none"> - Rush skeletonweed - Scentless chamomile - Scotch thistle - Teasel
CONTAINMENT – Enter inventory data, report and treat all sites outside containment lines. Some of these species have biocontrol (BC) available which can be used within the containment line.		
<ul style="list-style-type: none"> - Field scabious (contain to Salmo) - Knotweeds (contain to sites that do not border natural lands, transportation corridors, or riparian areas) - Policeman’s helmet (contain to Blewett) - Purple loosestrife (contain 4-Mile to Kootenay Canal) 	<ul style="list-style-type: none"> - Scotch broom (contain from spreading south and west of Nelson) - Yellow flag-iris (contain to 4-mile to Bird Creek Marsh) <p>Contain to gardens:</p> <ul style="list-style-type: none"> - Butterfly bush - Cypress spurge - English Ivy - Field bindweed 	<p>Contain to gardens:</p> <ul style="list-style-type: none"> - Goutweed - Japanese butterbur - Lamium/Yellow archangel - Russian olive - Periwinkle - Salt cedar - Siberian elm
ESTABLISHED (BIOCONTROL OR SITE-SPECIFIC APPROACH) – Widespread species that are beyond landscape-level control or have relatively low impact. May have biocontrol (BC) available. Treat based on land management objectives.		
<ul style="list-style-type: none"> - Bladder campion - Bull thistle (BC) - Burdock - Canada thistle (BC) - Chicory - Common tansy - Curled dock 	<ul style="list-style-type: none"> - Dalmatian toadflax (BC) - Dame’s rocket - Diffuse knapweed (BC) - Hairy cat’s ear - Himalayan blackberry - Hoary alyssum - Hound’s tongue - Mullein 	<ul style="list-style-type: none"> - Orange hawkweed - Oxeye daisy - Spotted knapweed (BC) - St. John’s Wort (BC) - Sulphur cinquefoil - Yellow hawkweeds - Yellow/common toadflax
INSUFFICIENT INFORMATION – There is a lack of information on the distribution, impacts and potential for spread and/or control of the following species. Some of these species may appear in other categories (since their distribution is relatively well understood) but they also appear in this category because further information is still required.		
<ul style="list-style-type: none"> - Baby’s breath - Black locust - Bristly locust - Caraway 	<ul style="list-style-type: none"> - English Ivy - Field bindweed - Flat Peavine - Hairy cat’s ear 	<ul style="list-style-type: none"> - Periwinkle - Salt cedar - Siberian elm - White cockle - Wild carrot/Queen Anne’s lace

<ul style="list-style-type: none">- Coltsfoot- Comfrey- Cypress spurge- Dame's rocket	<ul style="list-style-type: none">- Hawksbeard- Himalayan blackberry- Meadow salsify- Nightshade	<ul style="list-style-type: none">- Wormwood (Absinth)- Yellow bedstraw
--	---	--